

Client _____ Quantity _____
 Project _____ Position _____

FUN 600

Model: F60/30SPE/T

Cod: MP01332121000



Technical data


Modularity:	Top
Dimension (mm):	300x600x300
Total electric power (kW):	1
Nr. Wells:	1
Well litres 1:	12,5
Well dimensions 1 (mm):	265x325x150
Electric power (V):	220-240
Ampere (A):	5
Phases:	1
Cable section (mmq):	3G1
Frequency (Hz):	50-60
Net volume (m3):	0,054
Packing dimensions (mm):	376x695x638
Gross weight (kg):	15
Gross volume (m3):	0,167

Features

Working top:	Made of AISI 304 stainless steel with a thickness of 8/10 mm
Knobs:	Knobs are made from a sturdy heat-resistant polymer blend
Heating:	Infrared ceramic heating elements

Heated chip dump. The top, the bowl and the false bottom are made entirely of AISI 304 stainless steel; covering in AISI 430 stainless steel thickness 8/10; bottoms and internal parts in anti-corrosion material (aluminised sheet metal). Bowl GN 1/2. Top, bowl removable GN ½ h 15 cm. -Food is heated by the ceramic infrared heating elements. The unit is equipped with a main switch and an indicator light that shows proper operation. Total power 1 kW. Electrical power supply V AC 230+1 50÷60 Hz.

Technical draw



E: Electric power